

All EOS sterEOS publications 12March 2017

References

- Sailhan F, Jacob L, Hamadouche M. Differences in limb alignment and femoral mechanical-anatomical angles using two dimension versus three dimension radiographic imaging. *Int Orthop*. 2017 Feb 24
- Bakouny Z, Assi A, Massaad A, Saghbini E, Lafage V, Skalli W, Ghanem I, Kreichati G. Roussouly's sagittal spino-pelvic morphotypes as determinants of gait in asymptomatic adult subjects. *Gait Posture*. 2017 Feb 22;54:27-33
- Rehm J, Germann T, Akbar M, Pepke W, Kauczor HU, Weber MA, Spira D. 3D-modeling of the spine using EOS imaging system: Inter-reader reproducibility and reliability. *PLoS One*. 2017 Feb 2;12(2):e0171258
- DelSole EM, Vigdorich JM, Schwarzkopf R, Errico TJ, Buckland AJ. Total Hip Arthroplasty in the Spinal Deformity Population: Does Degree of Sagittal Deformity Affect Rates of Safe Zone Placement, Instability, or Revision? *J Arthroplasty*. 2016 Dec 27
- Roskopf AB, Buck FM, Pfirrmann CW, Ramseier LE. Femoral and tibial torsion measurements in children and adolescents: comparison of MRI and 3D models based on low-dose biplanar radiographs. *Skeletal Radiol*. 2017 Feb 3
- Bassani T, Ottardi C, Costa F, Brayda-Bruno M, Wilke HJ, Galbusera F. Semiautomated 3D Spine Reconstruction from Biplanar Radiographic Images: Prediction of Intervertebral Loading in Scoliotic Subjects. *Front Bioeng Biotechnol*. 2017 Jan 20;5:1
- Le Navéaux F, Aubin CE, Parent S, O Newton P, Labelle H. 3D rod shape changes in adolescent idiopathic scoliosis instrumentation: how much does it impact correction? *Eur Spine J*. 2017 Feb 8
- Kadoury S, Mandel W, Roy-Beaudry M, Nault ML, Parent S. 3D Morphology Prediction of Progressive Spinal Deformities from Probabilistic Modeling of Discriminant Manifolds. *IEEE Trans Med Imaging*. 2017 Jan 23
- Nicholson KF, Richardson RT, Miller F, Richards JG. Determining 3D scapular orientation with scapula models and biplane 2D images. *Med Eng Phys*. 2017 Jan 23
- Hasegawa K, Okamoto M, Hatsushikano S, Shimoda H, Ono M, Homma T, Watanabe K. Standing sagittal alignment of the whole axial skeleton with reference to the gravity line in humans. *J Anat*. 2017 Jan 27
- Zeighami A, Dumas R, Kanhonou M, Hagemester N, Lavoie F, de Guise JA, Aissaoui R. Tibio-femoral joint contact in healthy and osteoarthritic knees during quasi-static squat: A bi-planar X-ray analysis. *J Biomech*. 2017 Jan 19
- Jensen J, Mussmann BR, Hjarbæk J, Al-Aubaidi Z, Pedersen NW, Gerke O, Torfing T. Microdose acquisition in adolescent leg length discrepancy using a low-dose biplane imaging system. *Acta Radiol*. 2017 Jan
- Hui SC, Pialasse JP, Wong JY, Lam TP, Ng BK, Cheng JC, Chu WC. Radiation dose of digital radiography (DR) versus micro-dose x-ray (EOS) on patients with adolescent idiopathic scoliosis: 2016 SOSORT- IRSSD "John Sevastic Award" Winner in Imaging Research. *Scoliosis Spinal Disord*. 2016 Dec 29;11:46
- Thelen T, Thelen P, Demezou H, Aunoble S, Le Huec JC. Normative 3D acetabular orientation measurements by the low-dose EOS imaging system in 102 asymptomatic subjects in standing position: analyses by side, gender, pelvic incidence and reproducibility. *Orthop Traumatol Surg Res*. 2016 Dec 23
- Rouissi J, Arvieu R, Dubory A, Vergari C, Bachy M, Vialle R. Intra and inter-observer reliability of determining degree of pelvic obliquity in neuromuscular scoliosis using the EOS-CHAIR® protocol. *Childs Nerv Syst*. 2016 Dec 27
- Ben Abdennebi A, Aubry S, Ounalli L, Fayache MS, Delabrousse E, Petegnief Y. Comparative dose levels between CT-scanner and slot-scanning device (EOS system) in pregnant women pelvimetry. *Phys Med*. 2016 Dec 16



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

Jalai CM, Cruz DL, Diebo BG, Poorman G, Lafage R, Bess S, Ramachandran S, Day LM, Vira S, Liabaud B, Henry JK, Schwab FJ, Lafage V, Passias PG. Full-Body Analysis of Age-Adjusted Alignment in Adult Spinal Deformity Patients and Lower-Limb Compensation. *Spine (Phila Pa 1976)*. 2016 Aug 23

Ruzbarsky JJ, Goodbody C, Dodwell E. Closing the growth plate: a review of indications and surgical options. *Curr Opin Pediatr*. 2016 Nov 14

Lazennec JY, Chometon Q, Folinais D, Robbins CB, Pour AE. Are advanced three-dimensional imaging studies always needed to measure the coronal knee alignment of the lower extremity? *Int Orthop*. 2016 Nov 14

Ferrero E, Lafage R, Vira S, Rohan PY, Oren J, Delsole E, Guigui P, Schwab F, Lafage V, Skalli W. Three-dimensional reconstruction using stereoradiography for evaluating adult spinal deformity: a reproducibility study. *Eur Spine J*. 2016 Nov 5

Loppini M, Longo UG, Ragucci P, Trenti N, Balzarini L, Grappiolo G. Analysis of the Pelvic Functional Orientation in the Sagittal Plane: A Radiographic Study With EOS 2D/3D Technology. *J Arthroplasty*. 2016 Sep 28

Donzelli S, Zaina F, Lusini M, Minnella S, Respizzi S, Balzarini L, Poma S, Negrini S. The three dimensional analysis of the Sforzesco brace correction. *Scoliosis Spinal Disord*. 2016 Oct 14;11(Suppl 2):34

Day LM, Ramchandran S, Jalai CM, Diebo BG, Liabaud B, Lafage R, Protosaltis T, Passias PG, Schwab FJ, Bess S, Errico TJ, Lafage V, Buckland AJ. Thoracolumbar Realignment Surgery Results in Simultaneous Reciprocal Changes in Lower Extremities and Cervical Spine. *Spine (Phila Pa 1976)*. 2016 Oct 17

Skalli W, Vergari C, Ebermeyer E, Courtois I, Drevelle X, Kohler R, Abelin-Genevois K, Dubousset J. Early Detection of Progressive Adolescent Idiopathic Scoliosis: A Severity Index. *Spine (Phila Pa 1976)*. 2016 Oct 24

Kim YC, Lenke LG, Lee SJ, Gum JL, Wilartatsami S, Blanke KM. The cranial sagittal vertical axis (CrSVA) is a better radiographic measure to predict clinical outcomes in adult spinal deformity surgery than the C7 SVA: a monocentric study. *Eur Spine J*. 2016 Oct 14

Nerot A, Skalli W, Wang X. A principal component analysis of the relationship between the external body shape and internal skeleton for the upper body. *J Biomech*. 2016 Sep 14

Hey HW, Wong CG, Lau ET, Tan KA, Lau LL, Liu KG, Wong HK. Differences in erect sitting and natural sitting spinal alignment-insights into a new paradigm and implications in deformity correction. *Spine J*. 2016 Aug 22

Price R, Okamoto M, Le Huec JC, Hasegawa K. Normative spino-pelvic parameters in patients with the lumbarization of S1 compared to a normal asymptomatic population. *Eur Spine J*. 2016 Sep 26

Sauret C, Pillet H, Skalli W, Sangeux M. On the use of knee functional calibration to determine the medio-lateral axis of the femur in gait analysis: comparison with EOS biplanar radiographs as reference. *Gait Posture*. 2016 Sep 12;50:180-184

Lazennec JY, Folinais D, Bendaya S, Rousseau MA, Pour AE. The global alignment in patients with lumbar spinal stenosis: our experience using the EOS full-body images. *Eur J Orthop Surg Traumatol*. 2016 Oct;26(7):713-24

Pytiak A, Bomar JD, Peterson JB, Schmitz MR, Pennock AT, Wenger DR, Upasani VV. Analysis of spinal alignment and pelvic parameters on upright radiographs: implications for acetabular development. *J Hip Preserv Surg*. 2016 Apr 4;3(3):208-14

Assi A, Sauret C, Massaad A, Bakouny Z, Pillet H, Skalli W, Ghanem I. Validation of hip joint center localization methods during gait analysis using 3D EOS imaging in typically developing and cerebral palsy children. *Gait Posture*. 2016 Jul;48:30-5

Yaszay B, Bastrom TP, Bartley CE, Parent S, Newton PO. The effects of the three-dimensional deformity of adolescent idiopathic scoliosis on pulmonary function. *Eur Spine J*. 2016 Aug 11.

Singhatanadgige W, Kang DG, Luksanapruksa P, Peters C, Riew KD. Correlation and Reliability of Cervical Sagittal Alignment Parameters between Lateral Cervical Radiograph and Lateral Whole-Body EOS Stereoradiograph. *Global Spine J*. 2016 Sep;6(6):548-54.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

Schlégl ÁT, O'Sullivan I, Varga P, Than P, Vermes C. Determination and correlation of lower limb anatomical parameters and bone age during skeletal growth (based on 1005 cases). *J Orthop Res.* 2016 Aug 11.

Knafo J, Thelen T, Verdier D, Creppy L, Tournier C, Fabre T. Reproducibility of low-dose stereography measurements of femoral torsion after IM nailing of femoral shaft fractures and in normal femurs. *Orthop Traumatol Surg Res.* 2016

Schmid SL, Buck FM, Böni T, Farshad M. Radiographic measurement error of the scoliotic curve angle depending on positioning of the patient and the side of scoliotic curve. *Eur Spine J.* 2015 Sep 30

Morvan A, Moreau S, Combourieu B, Pansard E, Marmorat JL, Carlier R, Judet T, Lonjon G. Standing radiological analysis with a low-dose biplanar imaging system (EOS system) of the position of the components in total hip arthroplasty using an anterior approach: a cohort study of 102 patients. *Bone Joint J.* 2016 Mar;98-B(3):326-33

Carreau J, Bastrom T, Petcharaporn M, Schulte C, Marks M, Illés T, Somosköey S, Newton P. Computer-Generated Three-Dimensional Spine Model From Biplanar Radiographs: A Validity Study in Idiopathic Scoliosis Curves Greater than 50. degrees. *Spine Deformity.* March 2014.

Ilharreborde B, Ferrero E, Alison M, Mazda K. EOS microdose protocol for the radiological follow-up of adolescent idiopathic scoliosis. *Eur Spine J.* April 2015.

Newton P, Khandwala Y, Bartley C, Reighard F, T. Bastrom T, Yaszay B. New EOS Imaging Protocol Allows a Substantial Reduction in Radiation Exposure for Scoliosis Patients. *Spine Deformity.* 2016.

Roskopf AB, Pfirrmann CW, Buck FM. Assessment of two-dimensional (2D) and three-dimensional (3D) lower limb measurements in adults: Comparison of micro-dose and low-dose biplanar radiographs. *Eur Radiol.* 2016

Hocquelet A, Cornelis F, Jiot A, Castaings L, de Sèze M, Hauger O. Patient-specific 3D models created by 3D imaging system or bi-planar imaging coupled with Moiré-Fringe projections: a comparative study of accuracy and reliability on spinal curvatures and vertebral rotation data. *Eur Spine J.* 2016

Kato S, Debaud C, Zeller RD. Three-dimensional EOS Analysis of Apical Vertebral Rotation in Adolescent Idiopathic Scoliosis. *J Pediatr Orthop.* 2016

Lazennec JY, Brusson A, Folinis D, Zhang A, Pour AE, Rousseau MA. Measuring extension of the lumbar-pelvic-femoral complex with the EOS system. *Eur J Orthop Surg Traumatol.* 2015 Feb.

Demzik A, Alvi H, Delagrammaticas D, Martell J, Beal M, Manning M. Inter and Intra-rater Repeatability & Reliability of EOS Three Dimensional Imaging Analysis Software. *Journal of arthroplasty.* Nov 2015.

Thépaut M, Brochard S, Leboucher J, Lempereur M, Stindel E, Tissot V, Borotikar BS. Measuring physiological and pathological femoral anteversion using a biplanar low-dose X-ray system: validity, reliability, and discriminative ability in cerebral palsy. *Skeletal Radiol.* 2015 Nov.

Barbier O, Mainard D. Comments on: Acetabular component navigation in lateral decubitus based on EOS imaging: A preliminary study of 13 cases of A. Billaud, N. Verdier, R. de Bartolo, N. Lavoine, D. Chauveaux, T. Fabre. Published in *Orthop Traumatol Surg Res* 2015;101(3):271-5. *Orthop Traumatol Surg Res.* 2015 Nov;101(7):883.

Dervaux B, Szwarcensztein K, Jossier A; participants of round table N°4 of Giens XXX.; Barna A, Carbonneil C, Chevie K, Debroucker F, Grumblat A, Grumel O, Massol J, Maugendre P, Méchin H, Orlikowski D, Roussel C, Rumeau-Pichon C, Sales JP, Vicaut E. Assessment and non-clinical impact of medical devices. *Thérapie.* 2015 Jan-Feb;70(1):57-68

Carreau J, Bastrom T, Petcharaporn M, Schulte C, Marks M, Illés T, Somosköey S, Newton P. Computer-Generated Three-Dimensional Spine Model From Biplanar Radiographs: A Validity Study in Idiopathic Scoliosis Curves Greater than 50 degrees. *Spine Deformity.* March 2014.

Guggenberger R, Pfirrmann CW, Koch PP, Buck FM. Assessment of Lower Limb Length and Alignment by Biplanar Linear Radiography: Comparison With Supine CT and Upright Full-Length Radiography. *AJR.* 2014



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

Sigmann M, Delabrousse E, Riethmuller D, Runge M, Peyron C, Aubry S. An evaluation of the EOS X-ray imaging system in pelvimetry. Diagnostic and interventional imaging. 2014.

Barbier O, Skalli W, Mainard L, Mainard D. The reliability of the anterior pelvic plane for computer navigated acetabular component placement during total hip arthroplasty: Prospective study with the EOS imaging system. Orthop Traumatol Surg Res. 2014

Rungprai C, Goetz JE, Arunakul M, Gao Y, Femino JE, Amendola A, Phisitkul P. Foot and Ankle Radiographic Parameters: Validation and Reproducibility With a Biplanar Imaging System Versus Conventional Radiography. Foot Ankle Int. 2014

Guenoun B, El Hajj F, Biau D, Anract P, Courpied JP. Reliability of a New Method for Evaluating Femoral Stem Positioning After Total Hip Arthroplasty Based on Stereoradiographic 3D Reconstruction. J Arthroplasty. 2014

Lazennec JY, Brusson A, Folinai D, Rousseau M, Pour AE, Offset and anteversion reconstruction after cemented and uncemented total hip arthroplasty: an evaluation with the low-dose EOS system comparing two- and three-dimensional imaging. Int Orthop. 2014.

Pomerantz ML, Glaser D, Doan J, Kumar S, Edmonds EW. Three-dimensional biplanar radiography as a new means of accessing femoral version: a comparative study of EOS three-dimensional radiography versus computed tomography. Skeletal Radiol, 2014

Al-Aubaidi Z, Lebel D, Oudjhane K, Zeller R. Three-dimensional imaging of the spine using the EOS system: is it reliable? A comparative study using computed tomography imaging. J Pediatr Orthop B. 2013.

Folinai D, Thelen P, Delin C, Radier C, Catonne Y, Lazennec JY. Measuring femoral and rotational alignment: EOS system versus computed tomography. Orthop Traumatol Surg Res. 2013.

Rousseau MA, Brusson A, Lazennec JY. Assessment of the axial rotation of the pelvis with the EOS imaging system: intra- and inter-observer reproducibility and accuracy study. Eur J Orthop Surg Traumatol. 2013.

Escott BG, Ravi B, Weathermon AC, Acharya J, Gordon CL, Babyn PS, Kelley SP, Narayanan UG. EOS low-dose radiography: a reliable and accurate upright assessment of lower-limb lengths. J Bone Joint Surg Am. Dec 2013.

Quijano S, Serrurier A, Aubert B, Laporte S, Thoreux P, Skalli W. Three-dimensional reconstruction of the lower limb from biplanar calibrated radiographs. Med Eng Phys. 2013.4

Somoskeoy S, Tunyogi-Csapo M, Bogyo C, Illes T. Accuracy and reliability of coronal and sagittal spinal curvature data based on patient-specific three-dimensional models created by the EOS 2D/3D imaging system. Spine J2012 Oct 23.

Somoskeoy S, Tunyogi-Csapo M, Bogyo C, Illes T. Clinical validation of coronal and sagittal spinal curve measurements based on three-dimensional vertebra vector. Spine J2012 Sep 24.

Glaser DA, Doan J, Newton PO. Comparison of 3D Spinal Reconstruction Accuracy: Biplanar Radiographs with EOS Versus Computed Tomography. Spine (Phila Pa 1976)2012 Mar 13.

Sutter R, Pfirrmann CW, Espinosa N, Buck FM. Three-dimensional hindfoot alignment measurements based on biplanar radiographs: comparison with standard radiographic measurements. Skeletal Radiol2012 Nov 20.

Buck FM, Guggenberger R, Koch PP, Pfirrmann CW. Femoral and Tibial Torsion Measurements With 3D Models Based on Low-Dose Biplanar Radiographs in Comparison With Standard CT Measurements. AJR Am J Roentgenol2012 Nov;199(5):W607-12.

Journe A, Sadaka J, Belicourt C, Sautet A. New method for measuring acetabular component positioning with EOS imaging: feasibility study on dry bone. Int Orthop2012 Sep 5.

Guenoun B, Zadegan F, Aim F, Hannouche D, Nizard R. Reliability of a new method for lower-extremity measurements based on stereoradiographic three-dimensional reconstruction. Orthop Traumatol Surg Res2012 Jul 31.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Thelen P, Delin C, Folinais D, Radier C. Evaluation of a new low-dose biplanar system to assess lower-limb alignment in 3D: a phantom study. *Skeletal Radiol* 2012 Jun 9.
- Ilharreborde B, Steffen JS, Nectoux E, Vital JM, Mazda K, Skalli W, Obeid I. Angle measurement reproducibility using EOS three-dimensional reconstructions in adolescent idiopathic scoliosis treated by posterior instrumentation. *Spine (Phila Pa 1976)* 2011 Sep 15;36(20):E1306-13.
- Lazennec JY, Rousseau MA, Rangel A, Gorin M, Belicourt C, Brusson A, Catonne Y. Pelvis and total hip arthroplasty acetabular component orientations in sitting and standing positions: measurements reproductibility with EOS imaging system versus conventional radiographies. *Orthop Traumatol Surg Res* 2011 Jun;97(4):373-80.
- Chaibi Y, Cresson T, Aubert B, Hausselle J, Neyret P, Hauger O, de Guise JA, Skalli W. Fast 3D reconstruction of the lower limb using a parametric model and statistical inferences and clinical measurements calculation from biplanar X-rays. *Comput Methods Biomech Biomed Engin* 2011 Jan 1:1.
- Humbert, L. et al. "3D reconstruction of the spine from biplanar X-rays using parametric models based on transversal and longitudinal inferences." *Medical Engineering and Physics* (2009)
- Massaad A, Assi A, Bakouny Z, Sauret C, Khalil N, Skalli W, Ghanem I. Three-dimensional evaluation of skeletal deformities of the pelvis and lower limbs in ambulant children with cerebral palsy. *Gait Posture*. 2016 Jun 23;49:102-107.
- Hasegawa K, Okamoto M, Hatsushikano S, Shimoda H, Ono M, Watanabe K. Normative values of spino-pelvic sagittal alignment, balance, age, and health-related quality of life in a cohort of healthy adult subjects. *Eur Spine J*, 2016
- Mahboub-Ahari A, Hajebrahami S, Yusefi M, Velayati A. EOS imaging versus current radiography: A health technology assessment study. *Med J Islam Repub Iran*. 2016
- Clément J, Dumas R, Hagemester N, de Guise JA. Can generic knee joint models improve the measurement of osteoarthritic knee kinematics during squatting activity? *Comput Methods Biomech Biomed Engin*. 2016
- Cyteval C. Imaging of knee implants and related complications. *Diagn Interv Imaging*. 2016
- Zhang C, Skalli W, Lagacé PY, Billuart F, Ohl X, Cresson T, Bureau NJ, Rouleau DM, Roy A, Tétreault P, Sauret C, de Guise JA, Hagemester N. Investigation of 3D glenohumeral displacements from 3D reconstruction using biplane X-ray images: Accuracy and reproducibility of the technique and preliminary analysis in rotator cuff tear patients. *J Electromyogr Kinesiol*. 2016
- Kaneko K, Aota Y, Sekiya T, Yamada K, Saito T. Validation study of arm positions for evaluation of global spinal balance in EOS imaging. *Eur J Orthop Surg Traumatol*. 2016 Jul 7.
- Zahedi AR, Lüring C, Janßen D. [Tonnis and Kalchschmidt triple pelvic osteotomy]. *Orthopade*. 2016
- Sattout A, Labelle H, Aubin CE. Biomechanical Assessment of Providence Nighttime Brace for the Treatment of Adolescent Idiopathic Scoliosis. *Spine Deformity*, 2016
- Melhem E, Assi A, El Rachkidi E, Ghanem I. EOS® biplanar X-ray imaging: concept, developments, benefits, and limitations. *J Child Orthop*. 2016.
- Verdier N, Billaud A, Masquefa T, Pallaro J, Fabre T, Tournier C. EOS-based cup navigation: Randomised controlled trial in 78 total hip arthroplasties. *Orthop Traumatol Surg Res*. 2016 Jun;102(4):417-21
- Hirsch C, Ilharreborde B, Mazda K. Flexibility analysis in adolescent idiopathic scoliosis on side-bending images using the EOS imaging system. *Orthop Traumatol Surg Res*. 2016 Jun;102(4):495-500
- Galbusera F, Bassani T, La Barbera L, Ottardi C, Schlager B, Brayda-Bruno M, Villa T, Wilke HJ. Planning the Surgical Correction of Spinal Deformities: Toward the Identification of the Biomechanical Principles by Means of Numerical Simulation. *Front Bioeng Biotechnol*. 2015 Nov 3;3:178



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Nérot A, Choisne J, Amabile C, Travert C, Pillet H, Wang X, Skalli W. A 3D reconstruction method of the body envelope from biplanar X-rays: Evaluation of its accuracy and reliability. *J Biomech.* 2015 Dec 16;48(16):4322-6
- Ferrero E, Liabaud B, Challier V, Lafage R, Diebo BG, Vira S, Liu S, Vital JM, Ilharreborde B, Protopsaltis TS, Errico TJ, Schwab FJ, Lafage V. Role of pelvic translation and lower-extremity compensation to maintain gravity line position in spinal deformity. *J Neurosurg Spine.* 2016 Mar;24(3):436-46
- Simon AL, Ferrero E, Noelle Larson A, Kaufman KR. Stereoradiography imaging motion artifact: does it affect radiographic measures after spinal instrumentation? *Eur Spine J.* 2016 Mar 3
- Morin SN, Wall M, Belzile EL, Godbout B, Moser TP, Michou L, Ste-Marie LG, de Guise JA, Rahme E, Brown JP. Assessment of femur geometrical parameters using EOS™ imaging technology in patients with atypical femur fractures; preliminary results. *Bone.* 2016 Feb;83:184-9
- Dagneaux L, Thoreux P, Eustache B, Canovas F, Skalli W. Sequential 3D analysis of patellofemoral kinematics from biplanar x-rays: In vitro validation protocol. *Orthop Traumatol Surg Res.* 2015 Nov;101(7):811-8
- Courvoisier A, Garin C, Vialle R, Kohler R. The change on vertebral axial rotation after posterior instrumentation of idiopathic scoliosis. *Childs Nerv Syst.* 2015
- Newton PO, Fujimori T, Doan J, Reighard FG, Bastrom TP, Misaghi A. Defining the "Three-Dimensional Sagittal Plane" in Thoracic Adolescent Idiopathic Scoliosis. *J Bone Joint Surg Am.* 2015 Oct 21
- Ilharreborde B, Sebag G, Skalli W, Mazda K. Adolescent idiopathic scoliosis treated with posteromedial translation: radiologic evaluation with a 3D low-dose system. *Eur Spine J.* 2013 Apr 12
- Tabard-Fougère A, Bonnefoy-Mazure A, Hanquinet S, Lascombes P, Armand S, Dayer R. Validity and Reliability of Spine Rasterstereography in Patients with Adolescent Idiopathic Scoliosis. *Spine (Phila Pa 1976).* 2016 May 11
- Amabile C, Pillet H, Lafage V, Barrey C, Vital JM, Skalli W. A new quasi-invariant parameter characterizing the postural alignment of young asymptomatic adults. *Eur Spine J.* 2016
- Cogniet A, Aunoble S, Rigal J, Demezou H, Sadikki R, Le Huec JC. Clinical and radiological outcomes of lumbar posterior subtraction osteotomies are correlated to pelvic incidence and FBI index : Prospective series of 63 cases. *Eur Spine J.* 2016
- Vira S, Diebo B, Spiegel M, Liabaud B, Henry J, Oren J, Lafage R, Tanzi E, Protopsaltis T, Errico T, Schwab F, Lafage V. Is There a Gender-Specific Full Body Sagittal Profile for Different Spinopelvic Relationships? A Study on Propensity-Matched Cohorts? *Spine Deformity.* 2016
- Buckland AJ, Vira S, Oren JH, Lafage R, Harris BY, Spiegel MA, Diebo BG, Liabaud B, Protopsaltis TS, Schwab FJ, Lafage V, Errico TJ, Bendo JA. When is compensation for lumbar spinal stenosis a clinical sagittal plane deformity? *Spine J.* 2016
- Iyer S, Lenke LG, Nemani VM, Fu M, Shifflett GD, Albert TJ, Sides BA, Metz LN, Cunningham ME, Kim HJ. Variations in Occipitocervical and Cervicothoracic Alignment Parameters based on Age: A Prospective Study of Asymptomatic Volunteers using Full-Body Radiographs. *Spine.* 2016
- Iyer S, Lenke LG, Nemani VM, Albert TJ, Sides BA, Metz LN, Cunningham ME, Kim HJ. Variations in Sagittal Alignment Parameters based on Age: A Prospective Study of Asymptomatic Volunteers using Full-Body Radiograph. *Spine.* 2016
- Nam D, Vajapey S, Nunley R, Barrack R. The Impact of Imaging Modality on the Measurement of Coronal Plane Alignment Following Total Knee Arthroplasty. *Journal of Arthroplasty.* 2016
- Meijer MF, Boerboom AL, Bulstra SK, Reininga IH, Stevens M. Do CAS measurements correlate with EOS 3D alignment measurements in primary TKA? *Knee Surg Sports Traumatol Arthrosc.* 2016
- Meijer MF, Velleman T, Boerboom AL, Bulstra SK, Otten E, Stevens M, Reininga IH. The Validity of a New Low-Dose Stereoradiography System to Perform 2D and 3D Knee Prosthetic Alignment Measurements. *Plos one.* 2016



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Caouette C, Ikin N, Villemure I, Arnoux PJ, Rauch F, Aubin CÉ. Geometry reconstruction method for patient-specific finite element models for the assessment of tibia fracture risk in osteogenesis imperfecta. *Med Biol Eng Comput.* 2016
- Liow L, Tsai T, Dimitriou D, Li G, Kwon Y. Does 3D In-Vivo Component Rotation Affect Clinical Outcomes In Unicompartmental Knee Arthroplasty? *Journal of Arthroplasty.* 2016.
- Flecher X, Ollivier M, Argenson JN. Lower limb length and offset in total hip arthroplasty. *OTSR.* 2016.
- Esposito CI, Miller TT, Kim HJ, Barlow BT, Wright TM, Padgett DE, Jerabek SA, Mayman D. Does Degenerative Lumbar Spine Disease Influence Femoroacetabular Flexion in Patients Undergoing Total Hip Arthroplasty? *Clin Orthop Relat Res.* 2016
- Bendaya S, Anglin C, Lazennec JY, Allena R, Thoumie P, Skalli W. Good vs. Poor Results after Total Hip Arthroplasty: An Analysis Method using Implant and Anatomical Parameters with the EOS® Imaging System. *The journal of arthroplasty.* 2016.
- Lazennec JY, Brusson A, Rousseau MA, Robbins C, Pour AE. Do Patients' Perceptions of Leg Length Correlate with Standing 2- and 3-dimensional Radiographic Imaging? *The journal of arthroplasty.* 2016.
- Tsai TY, Dimitriou D, Hosseini A, Liow MH, Torriani M, Li G, Kwon YM. Assessment of accuracy and precision of 3D reconstruction of unicompartmental knee arthroplasty in upright position using biplanar radiography. *Med Eng Phys.* 2016.
- Irrera P, Bloch I, Delplanque M. A flexible patch based approach for combined denoising and contrast enhancement of digital X-ray images. *Med Imag Anal.* 2016
- Dubois G, Rouch P, Bonneau D, Gennisson JL, Skalli W. Muscle parameters estimation based on biplanar radiography. *Comput Methods Biomech Biomed Engin.* 2016
- Rochongar G, Pillet H, Bergamini E, Moreau S, Thoreux P, Skalli W, Rouch P. A new method for the evaluation of the end-to-end distance of the knee ligaments and popliteal complex during passive knee flexion. *Knee.* 2016
- Amabile C, Choisne J, Nérot A, Pillet H, Skalli W. Determination of a new uniform thorax density representative of the living population from 3D external body shape modeling. *J Biomech.* 2016.
- La Barbera L, Costa F, Villa T. ISO 12189 standard for the preclinical evaluation of posterior spinal stabilization devices - II: A parametric comparative study. *Proc Inst Mech Eng H.* 2016 Feb;230(2):134-44
- Cebulski-Delebarre A, Boutry N, Szymanski C, Maynou C, Lefebvre G, Amzallag-Bellenger E, Cotten A. Correlation between primary flat foot and lower extremity rotational misalignment in adults. *Diagn Interv Imaging.* 2016 Jun 13
- Clavel A, Thevenard-Berger P, Verdun F, Létang J, Darbon A. Organ radiation exposure with EOS: GATE simulations versus TLD measurements. *Physics of Medical Imaging,* 2016
- Dominguez D, Faundez A, Demez H, Cogniet A, Le Huec JC. Normative values for the L5 incidence in a subgroup of transitional anomalies extracted from 147 asymptomatic subjects. *Eur Spine J.* 2016
- Ghostine B, Sauret C, Assi A, Bakouny Z, Khalil N, Skalli W, Ghanem I. Influence of patient axial malpositioning on the trueness and precision of pelvic parameters obtained from 3D reconstructions based on biplanar radiographs. *Eur Radiol.* 2016.
- Hey H, Teo AQ, Tan KA, Ng LW, Lau LL, Liu KG, Wong HK. How the spine differs in standing and in sitting-important considerations for correction of spinal deformity. *Spine J.* 2016
- Heno J, Aubin CÉ, Labelle H, Arnoux PJ. Patient-specific finite element model of the spine and spinal cord to assess the neurological impact of scoliosis correction: preliminary application on two cases with and without intraoperative neurological complications. *Comput Methods Biomech Biomed Engin.* 2016;19(8):901-10.
- Le Huec JC, Hasegawa K. Normative values for the spine shape parameters using 3D standing analysis from a database of 268 asymptomatic Caucasian and Japanese subjects. *Eur Spine J.* 2016
- Pasha S, Capraro A, Cahill PJ, Dormans JP, Flynn JM. Bi-planar spinal stereoradiography of adolescent idiopathic scoliosis: considerations in 3D alignment and functional balance. *Eur Spine J.* 2016



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

Pasha S, Ho M, Ho-Fung V, Davidson RS. Application of weight bearing biplanar stereoradiography in assessment of lower limb deformity. *Journal of Limb Lengthening & Reconstruction*, 2016

Pasha S, Cahill PJ, Dormans JP, Flynn JM. Characterizing the differences between the 2D and 3D measurements of spine in adolescent idiopathic scoliosis. *Eur Spine J*. 2016

Vergari C, Courtois I, Ebermeyer E, Bouloussa H, Vialle R, Skalli W. Experimental validation of a patient-specific model of orthotic action in adolescent idiopathic scoliosis. *Eur Spine J*. 2016

Vergari C, Ribes G, Aubert B, Adam C, Miladi L, Ilharreborde B, Abelin-Genevois K, Rouch P, Skalli W. Evaluation of a Patient-Specific Finite-Element Model to Simulate Conservative Treatment in Adolescent Idiopathic Scoliosis. *Spine Deformity*, 2015

Hull NC, Binkovitz LA, Schueler BA, Kolbe AB, Larson AN. Upright Biplanar Slot Scanning in Pediatric Orthopedics: Applications, Advantages, and Artifacts. *AJR Am J Roentgenol*. 2015.

Luo D, Stans A, Schueler B, Larson N. Cumulative radiation exposure with EOS imaging compared with standard spine radiographs. *Spine Deformity*. 2015 Mar.

Yvert M, Diallo A, Bessou P, Rehel JL, Lhomme E, Chateil JF. Radiography of scoliosis: Comparative dose levels and image quality between a dynamic flat-panel detector and a slot-scanning device (EOS system). *Diagn Interv Imaging*. 2015 Aug 14.

Tarhan T, Froemel D, Meurer A. EOS imaging acquisition system: 2D/3D diagnostics of the skeleton. *Orthopade*. 2015 Nov 13. German.

Hirsch C, Ilharreborde B, Mazda K. EOS suspension test for the assessment of spinal flexibility in adolescent idiopathic scoliosis. *Eur Spine J*. 2015 Feb.

Bouloussa H, Dubory A, Seiler C, Morel B, Bachy M, Vialle R. A radiolucent chair for sitting-posture radiographs in non-ambulatory children: use in biplanar digital slot-scanning. *Pediatr Radiol*. 2015

Newton P, Farnsworth C, Parvaresh K. Imaging and three-dimensional analysis of adolescent idiopathic scoliosis. *Seminars in Spine Surgery*. 2015.

Briot K, Fechtenbaum J, Etcheto A, Kolta S, Feydy A, Roux C. Diagnosis of vertebral fractures using a low-dose biplanar imaging system. *Osteoporos Int*. 2015.

Fechtenbaum J, Etcheto A, Kolta S, Feydy A, Roux C, Briot K. Sagittal balance of the spine in patients with osteoporotic vertebral fractures. *Osteoporos Int*. 2015 Aug 14.

Ferrero E, Lafage R, Challier V, Diebo B, Guigui P, Mazda K, Schwab F, Skalli W, Lafage V. Clinical and stereoradiographic analysis of adult spinal deformity with and without rotatory subluxation. *Orthop Traumatol Surg Res*. 2015 Jul 17.

Lazennec JY, Rousseau MA, Brusson A, Folinais D, Amel M, Clarke I, Pour AE. Total Hip Prostheses in Standing, Sitting and Squatting Positions: An Overview of Our 8 Years Practice Using the EOS Imaging Technology. *Open Orthop J*. 2015 Feb.

Tiberi JV 3rd, Antoci V, Malchau H, Rubash HE, Freiberg AA, Kwon YM. What Is the Fate of THA Acetabular Component Orientation When Evaluated in the Standing Position? *The Journal of arthroplasty*. 2015 Mar.

Nam D, Williams B, Hirsch J, Johnson S, Nunley R, Barrack R. Planned Bone Resections Using an MRI-Based Custom Cutting Guide System Versus 3-Dimensional, Weight-Bearing Images in Total Knee Arthroplasty. *The Journal of arthroplasty*. 2015 Apr.

Billaud A, Verdier N, De Bartolo R, Lavoinnie N, Chauveaux T, Fabre T. Acetabular component navigation in lateral decubitus based on EOS imaging: A preliminary study of 13 cases. *Orthop Traumatol Surg Res*. 2015 May.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Masquefa T, Verdier N, Gille O, Boissière L, Obeid I, Maillot C, Tournier C, Fabre T. Change in acetabular version after lumbar pedicle subtraction osteotomy to correct post-operative flat back: EOS measurements of 38 acetabula. *Orthop Traumatol Surg Res.* 2015 Sept.
- Clavé A, Fazilleau F, Cheval D, Williams T, Lefèvre C, Stindel E. Comparison of the reliability of leg length and offset data generated by three hip replacement CAOS systems using EOS™ imaging. *Orthop Traumatol Surg Res.* 2015 Aug 20.
- Morin SN, Wall M, Belzile EL, Godbout B, Moser TP, Michou L, Ste-Marie LG, de Guise JA, Rahme E, Brown JP. Assessment of femur geometrical parameters using EOS™ imaging technology in patients with atypical femur fractures (AFF); preliminary results. *Bone.* 2015 Nov.
- Bredow J, Katinakis F, Schlüter-Brust K, Krug B, Pfau D, Eysel P, Dargel J, Wegmann K. Influence of hip replacement on sagittal alignment of the lumbar spine: An EOS study. *Technol Health Care.* 2015.
- Tsai, T-Y. Dimitrou D, Lincoln Liow M-H, Rubah H, Li G, Kwon Y-M. 3D Imaging Analysis of Unicompartmental Knee Arthroplasty Evaluated in Standing Position: Component Alignment and In-Vivo Articular Contact. *Journal of arthroplasty.* Nov 2015.
- Garner MR, Dow M, Bixby E, Mintz DN, Widmann RF, Dodwell ER. Evaluating Length: The Use of Low-dose Biplanar Radiography (EOS) and Tantalum Bead Implantation. *J Pediatr Orthop.* 2015 Apr.
- Duprey S, Billuart F, Sah S, Ohl X, Robert T, Skalli W, Wang X. Three-Dimensional Rotations of the Scapula During Arm Abduction: Evaluation of the AMC Method by Comparison With a Model-Based Approach Using Biplanar X-ray. *J Appl Biomech.* 2015
- Cidambi K, Glaser D, Doan J, Newton P. Generation of a Patient-Specific Model of Normal Sagittal Alignment of the Spine. *Spine Deformity* 2015.
- Nérot A, Wang X, Pillet H, Skalli W. Estimation of hip joint center from the external body shape: a preliminary study. *CMBBE* 2015 Aug 3.
- Langlois K, Pillet H, Lavaste F, Rochcongar G, Rouch P, Thoreux P, Skalli W. Assessing the accuracy and precision of manual registration of both femur and tibia using EOS imaging system with multiple views. *CMBBE* 2015.
- Dagneaux L, Thoreux P, Eustache B, Canovas F, Skalli W. Sequential 3D analysis of patella-femoral kinematics from biplanar x-rays: In vitro validation protocol. *Orthop Traumatol Surg Res.* 2015
- Zhang C, Skalli W, Lagacé PY, Billuart F, Ohl X, Cresson T, Bureau NJ, Rouleau DM, Roy A, Tétreault P, Sauret C, de Guise JA, Hagemester N. Investigation of 3D glenohumeral displacements from 3D reconstruction using biplane X-ray images: Accuracy and reproducibility of the technique and preliminary analysis in rotator cuff tear patients. *J Electromyogr Kinesiol.* 2015
- Clavel AH, Monnin P, Létang JM, Verdun FR, Darbon A. CHARACTERISING THE EOS SLOT-SCANNING SYSTEM WITH THE EFFECTIVE DETECTIVE QUANTUM EFFICIENCY. *Radiat Prot Dosimetry.* 2015.
- Nérot A, Choisne J, Amabile C, Travert C, Pillet H, Wang X, Skalli W. A 3D reconstruction method of the body envelope from biplanar X-rays: Evaluation of its accuracy and reliability. *J Biomech.* 2015 Nov 6.
- Galbusera F, Bassani T, La Barbera L, Ottardi C, Schlager B, Brayda-Bruno M, Villa T, Wilke HJ. Planning the Surgical Correction of Spinal Deformities: Toward the Identification of the Biomechanical Principles by Means of Numerical Simulation. *Front Bioeng Biotechnol.* 2015 Nov 3
- Ohl X, Hagemester N, Zhang C, Billuart F, Gagey O, Bureau NJ, Skalli W. 3D scapular orientation on healthy and pathologic subjects using stereoradiographs during arm elevation. *J Shoulder Elbow Surg.* 2015
- Pasha S, Aubin CE, Labelle H, Parent S, Mac-Thiong JM. The biomechanical effects of spinal fusion on the sacral loading in adolescent idiopathic scoliosis. *Clin Biomech.* 2015 Nov;30(9):981-7



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Schlégl ÁT, Szuper K, Somoskeöy S, Than P. Three dimensional radiological imaging of normal lower-limb alignment in children. *Int Orthop*. 2015 Oct;39(10):2073-80
- Clément J, Dumas R, Hagemeister N, de Guise JA. Soft tissue artifact compensation in knee kinematics by multi-body optimization: Performance of subject-specific knee joint models. *J Biomech*. 2015 Nov 5;48(14):3796-802
- Nérot A, Skalli W, Wang X. An assessment of the realism of digital human manikins used for simulation in ergonomics. *Ergonomics*. 2015 May 28:1-13
- Gaumétou E, Mallet C, Souchet P, Mazda K, Ilharreborde B. Poor Efficiency of Eight-Plates in the Treatment of Lower Limb Discrepancy. *J Pediatr Orthop*. 2015 May 15
- Diebo BG, Ferrero E, Lafage R, Challier V, Liabaud B, Liu S, Vital JM, Errico TJ, Schwab FJ, Lafage V. Recruitment of compensatory mechanisms in sagittal spinal malalignment is age and regional deformity dependent: a full-standing axis analysis of key radiographical parameters. *Spine (Phila Pa 1976)*. 2015 May 1;40(9):642-9
- Blumer SL, Dinan D, Grissom LE. Benefits and unexpected artifacts of biplanar digital slot-scanning imaging in children. *Pediatr Radiol*. 2014 Feb 22.
- Molto A, Freire V, Feydy A, Paternotte S, Maksymowych P, Benhamou M, Rannou F, Dougados M, Gossec L. Assessing structural changes in axial spondyloarthritis using a low dose biplanar imaging system. *Rheumatology*. 2014.
- Dubouset J, Ilharreborde B, Le Huec JC. Use of EOS imaging for the assessment of scoliosis deformities: application to postoperative 3D quantitative analysis of the trunk. *Eur Spine J*. 2014.
- Le Huec JC, Faundez A, Dominguez D, Hoffmeyer P, Aunoble S. Evidence showing the relationship between sagittal balance and clinical outcomes in surgical treatment of degenerative spinal diseases: A literature review. *Int Orthop*. 2014 Sep 06.
- Amzallag-Bellenger E, Uyttenhove F, Nectoux E, Moraux A, Bigot J, Herbaux B, Boutry N. Idiopathic scoliosis in children and adolescents: assessment with a biplanar X-ray device. *Insights Imaging*. 2014 Sep 13.
- Le Huec JC, Demezon H, Aunoble S. Sagittal parameters of global cervical balance using EOS imaging: normative values from a prospective cohort of asymptomatic volunteers. *Eur Spine J* Oct 2014.
- Boissière L, Vital JM, Aunoble S, Fabre T, Gille O, Obeid I. Lumbo-pelvic related indexes: impact on adult spinal deformity surgery. *Eur Spine J*. 2014
- Nault ML, Mac-Thiong JM, Roy-Beaudry M, Turgeon I, de Guise J, Labelle H, Parent S. Three-Dimensional Spinal Morphology can Differentiate Between Progressive and Non-Progressive Patients With Adolescent Idiopathic Scoliosis at the Initial Presentation. *Spine* 2014.
- Gaumétou E, Quijano S, Ilharreborde B, Presedo A, Thoreux P, Mazda K, Skalli W. EOS analysis of lower extremity segmental torsion in children and young adults. *Orthop Traumatol Surg Res*. 2013
- Ferre R, Gibon E, Hamadouche M, Feydy A, Drapé JL. Evaluation of a method for the assessment of anterior acetabular coverage and hip joint space width. *Skeletal Radiol*. 2014
- Roskopf AB, Ramseier LE, Sutter R, Pfirrmann CW, Buck FM. Femoral and Tibial Torsion Measurement in Children and Adolescents: Comparison of 3D Models Based on Low-Dose Biplanar Radiography and Low-Dose CT. *AJR*. 2014
- Pailhé R, Bedes L, Sales de Gauzy J, Tran R, Cavaignac E, Accadbled F. Derotational femoral osteotomy technique with locking nail fixation for adolescent femoral antetorsion: surgical technique and preliminary study. *J Pediatr Orthop B*. 2014.
- Szuper K, Schlégl AT, Leidecker E, Vermes C, Somoskeöy S, Than P. Three-dimensional quantitative analysis of the proximal femur and the pelvis in children and adolescents using an upright biplanar slot-scanning X-ray system. *Pediatr Radiol*. 2014
- Schlegl AT, Szuper K, Somoskeoy S, Than P. Evaluation of the usefulness of the EOS 2D/3D system for the measurement of lower limbs anatomical and biomechanical parameters in children. *Orv Hetil* Oct, 2014.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Meijer MF, Boerboom AL, Stevens M, Bulstra SK, Reininga IHF. Assessment of prosthesis alignment after revision total knee arthroplasty using EOS 2D and 3D imaging: a reliability study. Plos one. 2014
- Meyrignac O, Moreno R, Baunin C, Vial J, Accadbled F, Sommet A, de Gauzy JS, Sans N. Low-dose biplanar radiography can be used in children and adolescents to accurately assess femoral and tibial torsion and greatly reduce irradiation. Eur Radiol, 2014
- Bendaya S, Lazennec JY, Anglin C, Allena R, Sellam N, Thoumie P, Skalli W. Healthy vs. osteoarthritic hips: A comparison of hip, pelvis and femoral parameters and relationships using the EOS® system. Clin Biomech, 2014
- Sangeux M, Pillet H, Skalli W. Which method of hip joint centre localisation should be used in gait analysis?. Gait and Posture. 2014.
- Damet J, Fournier P, Monnin P, Sans-Merce M, Ceroni D, Zand T, Verdun FR, Baechler S. Occupational and patient exposure as well as image quality for full spine examinations with the EOS imaging system. Medical physics. 2014.
- Aubert B, Vergari C, Ilharborde B, Courvoisier A, Skalli W. 3D reconstruction of rib cage geometry from biplanar radiographs using a statistical parametric model approach. CMBBE. 2014.
- Begon M, Scherrer SA, Coillard C, Rivard CH, Allard P. Three-dimensional vertebral wedging and pelvic asymmetries in the early stages of adolescent idiopathic scoliosis. Spine J, 2014.
- Dietrich TJ, Pfirrmann CW, Schwab A, Pankalla K, Buck FM. Comparison of radiation dose, workflow, patient comfort and financial break-even of standard digital radiography and a novel biplanar low-dose X-ray system for upright full-length lower limb and whole spine radiography. Skeletal Radiol. 2013.
- Boutry N, Dutouquet B, Leleu X, Vieillard MH, Duhamel A, Cotten A. Low-dose biplanar skeletal survey versus digital skeletal survey in multiple myeloma. Eur Radiol. 2013.
- Delin C, Silvera S, Bassinet C, Thelen P, Rehel JL, Legmann P, Folinais D. Ionizing radiation doses during lower limb torsion and anteversion measurements by EOS stereoradiography and computed tomography. Eur J Radiol. 2013.
- Lazennec JY, Brusson A, Rousseau MA. Lumbar-pelvic-femoral balance on sitting and standing lateral radiographs. Orthop Traumatol Surg Res. 2013;99(1 Suppl):S87-103.
- Boissiere L, Bourghli A, Vital JM, Gille O, Obeid I. The lumbar lordosis index: a new ratio to detect spinal malalignment with a therapeutic impact for sagittal balance correction decisions in adult scoliosis surgery. Eur Spine J. 2013.
- Illes T, Somoskeoy S. Comparison of scoliosis measurements based on three-dimensional vertebra vectors and conventional two-dimensional measurements: advantages in evaluation of prognosis and surgical results. Eur Spine J. 2013. Epub 2013/01/24.
- Ilharborde B, Sebag G, Skalli W, Mazda K. Adolescent idiopathic scoliosis treated with posteromedial translation: radiologic evaluation with a 3D low-dose system. Eur Spine J. 2013.
- Vidal C, Ilharborde B, Azoulay R, Sebag G, Mazda K. Reliability of cervical lordosis and global sagittal spinal balance measurements in adolescent idiopathic scoliosis. Eur Spine J. 2013.
- Lebel DE, Al-Aubaidi Z, Shin EJ, Howard A, Zeller R. Three dimensional analysis of brace biomechanical efficacy for patients with AIS. Eur Spine J. 2013.
- Ilharborde B, Dubousset J, Skalli W, Mazda K. Spinal penetration index assessment in adolescent idiopathic scoliosis using EOS low-dose biplanar stereoradiography. Eur Spine J. 2013.
- Courvoisier A, Drevelle X, Vialle R, Dubousset J, Skalli W. 3D analysis of brace treatment in adolescent idiopathic scoliosis. Eur Spine J. 2013.
- Courvoisier A, Vialle R, Skalli W. EOS 3D imaging: assessing the impact of brace treatment in adolescent idiopathic scoliosis. Expert Rev Med Devices. 2013.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Scherrer SA, Begon M, Leardini A, Coillard C, Rivard CH, Allard P. Three-dimensional vertebral wedging in mild and moderate adolescent idiopathic scoliosis. *Plos One*. 2013.
- Nam D, Shab R, Nunley R, Barrack R. Evaluation of the 3-Dimensional, weight-bearing orientation of the normal adult knee. *Journal of arthroplasty*. 2013.
- Assi A, Chaibi Y, Presedo A, Dubousset J, Ghanem I, Skalli W. Three-dimensional reconstructions for asymptomatic and cerebral palsy children's lower limbs using a biplanar X-ray system. *Eur J Radiol*. 2013.
- Pillet H, Sangeux M, Hausselle J, El Rachkidi R, Skalli W. A reference method for the evaluation of femoral head joint center location technique based on external markers. *Gait & Posture*. 2013.
- Grenier S, Parent S, Cheriet F. Personalized 3D reconstruction of the rib cage for clinical assessment of trunk deformities. *Med Eng Phys*. 2013.
- Courvoisier A, Ilharberde B, Constantinou B, Aubert B, Vialle R, Skalli W. Evaluation of a three-dimensional reconstruction method of the rib cage of mild scoliotic patients. *Spine deformity*. 2013.
- Kadoury S, Shen J, Parent S. Global geometric torsion in adolescent idiopathic scoliosis. *Med Biol Eng Comput*. Dec 27 2013.
- Wybier M, Bossard P. Musculoskeletal imaging in progress: The EOS imaging system. *Joint Bone Spine* 2012 Nov 21.
- Illes T, Somoskeoy S. The EOS imaging system and its uses in daily orthopaedic practice. *Int Orthop* 2012 Feb 28.
- Ilharberde B, Vidal C, Skalli W, Mazda K. Sagittal alignment of the cervical spine in adolescent idiopathic scoliosis treated by posteromedial translation. *Eur Spine J* 2012 Sep 11.
- Illes T, Somoskeoy S. [Principles of the EOS X-ray machine and its use in daily orthopedic practice]. *Orv Hetil* 2012 Feb 19;153(8):289-95.
- Lazennec JY, Brusson A, Rousseau MA. THA Patients in Standing and Sitting Positions: A Prospective Evaluation Using the Low-Dose "Full-Body" EOS® Imaging System. *Semin Arthro*. 2012;23(4):220-5.
- Polkowski GG, Nunley RM, Ruh EL, Williams BM, Barrack RL, Does Standing Affect Acetabular Component Inclination and Version After THA? *Clin Orthop Relat Res*. 2012 May 19.
- Lazennec JY. Hip-Spine Relations: An Innovative Paradigm in THR Surgery. In: Fokter SK, editor. *Recent Advances in Arthroplasty: InTech*; 2012. p. 69-94.
- Humbert L, Steffen JS, Vialle R, Dubousset J, Vital JM, Skalli W. 3D analysis of congenital scoliosis due to hemivertebra using biplanar radiography. *Eur Spine J* 2012 Oct 17.
- Foley G, Aubin CE, Labelle H, Sanders J, d'Astous J, Johnston C, Parent S. The Rib Vertebra Angle Difference and its Measurement in 3D for the evaluation of early onset scoliosis. *Stud Health Technol Inform* 2012;176:238-41.
- Sapin-de Brosses E, Jolivet E, Travert C, Mitton D, Skalli W. Prediction of the vertebral strength using a finite element model derived from low-dose biplanar imaging: benefits of subject-specific material properties. *Spine (Phila Pa 1976)* 2012 Feb 1;37(3):E156-62.
- Rampal V, Hausselle J, Thoreux P, Wicart P, Skalli W. Three-dimensional Morphologic Study of the Child's Hip: Which Parameters Are Reproducible? *Clin Orthop Relat Res* 2012 Oct 26.
- Hausselle J, Assi A, El Helou A, Jolivet E, Pillet H, Dion E, Bonneau D, Skalli W. Subject-specific musculoskeletal model of the lower limb in a lying and standing position. *Comput Methods Biomech Biomed Engin* 2012 Jun 26.
- Serrurier A, Quijano S, Nizard R, Skalli W. Robust femur condyle disambiguation on biplanar X-rays. *Med Eng Phys* 2012 Feb 18.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Lagace PY, Billuart F, Ohl X, Skalli W, Tetreault P, de Guise J, Hagemeister N. Analysis of humeral head displacements from sequences of biplanar X-rays: repeatability study and preliminary results in healthy subjects. *Comput Methods Biomech Biomed Engin*2012 Mar;15(3):221-9.
- Lazennec JY, Brusson A, Rousseau MA. Hip-spine relations and sagittal balance clinical consequences. *Eur Spine J*2011 Sep;20 Suppl 5:686-98.
- Le Huec JC, Leijssen P, Duarte M, Aunoble S. Thoracolumbar imbalance analysis for osteotomy planification using a new method: FBI technique. *Eur Spine J*2011 Sep;20 Suppl 5:669-80.
- Obeid I, Hauger O, Aunoble S, Bourghli A, Pellet N, Vital JM. Global analysis of sagittal spinal alignment in major deformities: correlation between lack of lumbar lordosis and flexion of the knee. *Eur Spine J*2011 Sep;20 Suppl 5:681-5.
- Morvan G, Mathieu P, Vuillemin V, Guerini H, Bossard P, Zeitoun F, Wybier M. Standardized way for imaging of the sagittal spinal balance. *Eur Spine J*2011 Sep;20 Suppl 5:602-8.
- Illes T, Tunyogi-Csapo M, Somoskeoy S. Breakthrough in three-dimensional scoliosis diagnosis: significance of horizontal plane view and vertebra vectors. *Eur Spine J*2011 Jan;20(1):135-43.
- Illes T. [Comparison of classical 2D measurement of scoliosis and 3D measurement using vertebral vectors; advantages for prognostication and treatment evaluation]. *Bull Acad Natl Med*2011 Mar;195(3):629-42; discussion 42-3.
- Than P, Szuper K, Somoskeoy S, Warta V, Illes T. Geometrical values of the normal and arthritic hip and knee detected with the EOS imaging system. *Int Orthop*2011 Nov 18.
- Gheno R, Nectoux E, Herbaux B, Baldisserotto M, Glock L, Cotten A, Boutry N. Three-dimensional measurements of the lower extremity in children and adolescents using a low-dose biplanar X-ray device. *Eur Radiol*2011 Oct 20.
- Dubousset J, Lavaste F, Skalli W, Lafage V. [Modeling the spine and spinal cord]. *Bull Acad Natl Med*2011 Nov;195(8):1831-42.
- Travert C, Jolivet E, Sapin-de Brosses E, Mitton D, Skalli W. Sensitivity of patient-specific vertebral finite element model from low dose imaging to material properties and loading conditions. *Med Biol Eng Comput*2011 Dec;49(12):1355-61.
- Rousseau MA. Three-dimensional assessment of the intervertebral kinematics after Mobi-C total disc replacement at the cervical spine in vivo using the EOS stereoradiography system. *SAS Journal*2011 Sept;5(3):63-8.
- Deschenes S., Charron G., Beaudoin G., Miron M., Labelle H. and Dubois J., "Diagnostic imaging of spinal deformities: Reducing patients radiation dose with a new slot-scanning x-ray imager" *Spine*, (avril 2010)
- Dubousset J., Charpak G., Skalli W., De Guise J.A., Kalifa G. EOS : A new imaging system with low dose radiation in standing position for spine and bone & joint disorders. *Journal of Musculoskeletal Research* 13(1):1 – 12, 2010.
- Steffen JS, Obeid I, Aurouer N, Hauger O, Vital JM, Dubousset J, Skalli W. "3D postural balance with regard to gravity line: an evaluation in the transversal plane on 93 patients and 23 asymptomatic volunteers. ». *Eur Spine J*. 2010 May;19(5)
- Sandoz B, Laporte S, Skalli W, Mitton D. "Subject-specific body segment parameters' estimation using biplanar X-rays: a feasibility study". *Comput Methods Biomech Biomed Engin*. 2010 Dec;13(6)
- Illes T, Tunyogi-Csapo M., Somoskeöy, S. Breakthrough in three-dimensional scoliosis diagnosis: significance of horizontal plane view and vertebra vectors." *Eur Spine J*. 2010 Sep 5.
- Sabourin M, Jolivet E, Miladi L, Wicart P, Rampal V, Skalli W. "Three-dimensional stereoradiographic modeling of rib cage before and after spinal growing rod procedures in early-onset scoliosis". *Clin Biomech (Bristol, Avon)*. 2010 May;25(4):284-91. Epub 2010 Feb 2.
- Drevelle D., Lafon Y., Ebermeyer E., Courtois I., Dubousset J., Skalli W.. Analysis of Idiopathic Scoliosis Progression by Using Numerical Simulation. *Spine*, 35,(10):E 407-412, 2010.



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

- Azmy C., Guérard S., Bonnet X., Gabrielli F., Skalli W., EOS® orthopaedic imaging system to study patellofemoral kinematics : Assessment of uncertainty, *Orthopaedics & Traumatology : Surgery & Research*, 96(1) : 28-36, 2010.
- Ohl X., Stanchina C., Billuart F., Skalli W. Shoulder bony landmarks location using the EOS® low-dose stereoradiography system : a reproducibility study. *Surgical and radiologic anatomy (Surg Radiol Anat)*, 32(2):153-8, 2010.
- Jolivet E., Sandoz B., Laporte S., Mitton D., Skalli W. Fast 3D reconstruction of the rib cage from biplanar radiographs. *Medical & biological engineering & computing* 48(8):821-828, 2010.
- Glard, Yann, Pomero, V., Collignon, P., Skalli, W., Jouve, J.-L. and Bollini, G.. "Three-dimensional analysis of the vertebral rotation associated with the lateral deviation in Marfan syndrome spinal deformity." *Journal of Pediatric Orthopaedics* 18, no. 1 (2009): 51-56.
- Schlatterer, B. and I. Suedhoff. "Skeletal landmarks for TKR implantations: Evaluation of their accuracy using EOS imaging acquisition system." *Orthopaedics and Traumatology: Surgery and Research* (2009)
- Glard, Y., Pomero, V., Collignon, P., Skalli, W., Jouve, J.-L. and Bollini, G.. "Sagittal balance in scoliosis associated with Marfan syndrome: a stereoradiographic three-dimensional analysis." *Journal of children's orthopaedics* 2 (2008): 113-118.
- JM Vital, J Dubousset, O Gille, O Hauger, N Aurouer, I Obeid, « Clinical Applications of the EOS System ». *Argos Spine Journal*, Springer, N° 20 dec. 2008, ISSN 1967-7729
- Mezghani N, Chav R, Humbert L, Parent S, Skalli W, de Guise JA. "A Computer Based Classifier of Three-Dimensional Spinal Scoliosis Severity." *International Journal of Computer Assisted Radiology and Surgery*, avril 2008.
- A. Feydy, S. Ferey, V. Merzoug, H. Guerini, A. Chevrot, J. Dubousset, G. Kalifa, J.-L. Drapé. *Imagerie De La Scoliose. Place Du Système Eos Société D'imagerie Musculo Squelettique, Getroa Gel Opus Xxxv Rachis. Sauramps Medical / Isbn : 9782840235767. 2008 425-441*
- G. Morvan, M. Wybier, P. Mathieu, V. Vuillemin et H. Guerini, *Clichés simples du rachis : statique et relations entre rachis et bassin. J. Radiol. 2008 ;89 :654-66.*
- Dubousset J, Charpak G, Skalli W, de Guise J, Kalifa G, Wicart P. [Skeletal and spinal imaging with EOS system]. *Arch Pediatr. 2008 Jun;15(5):665-6.*
- Baudouin, A. and W. Skalli. "Parametric subject-specific model for in vivo 3D reconstruction using bi-planar X-rays: application to the upper femoral extremity." *Medical and Biological Engineering and Computing* 46 (2008): 799-805.
- Humbert L, Carlioz H, Baudoin A, Skalli W, Mitton D. 3D Evaluation of the acetabular coverage assessed by biplanar X-rays or single anteroposterior X-ray compared with CT-scan. *Computer Methods in Biomechanics and Biomedical Engineering* 2008.
- Mitton D, Zhao K, Bertrand S, Zhao C, Laporte S, Yang C, An. K-N, Skalli W. 3D reconstruction of the ribs from lateral and frontal X-rays in comparison to 3D CT-scan reconstruction. *Journal of Biomechanics* 2008 ; 41(3):706-710.
- Bertrand, S. and S. Laporte. "Three dimensional reconstruction of the rib cage from biplanar radiography." *IRBM* 29 (2008): 278-286.
- Sapin, E. and K. Briot. "Bone mineral density assessment using the EOS low-dose X-ray device:a feasibility study." *Journal of Engineering in Medicine* 222 (2008): 1263-1271.
- Kolta S, Quiligotti S, Ruyssen-Witrand A, Amido A, Mitton D, Le Bras A, Skalli W, Roux C. In vivo 3D reconstruction of human vertebrae with the three-dimensional X-ray absorptiometry (3D-XA) method. *Osteoporos Int* 2008 ; 19(2):185 - 192.
- D. Mitton, J.A. De Guise, J. Dubousset, W. Skalli. Head to feet 3D reconstruction from biplanar X-rays in standing position. In: *Bioengineering Modeling and Computer Simulation*. Y. González and M. Cerrolaza (Eds.) © CIMNE, Barcelona, Spain 2007



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893

References

Dubousset J, Charpak G, Skalli W, Kalifa G, Lazennec JY. « EOS stereo-radiography system: whole-body simultaneous anteroposterior and lateral radiographs with very low radiation dose”. Rev Chir Orthop Reparatrice Appar Mot. 2007 Oct;93(6 Suppl):141-3. French.

Gille O, Champain N, Benchikh-El-Fegoun A, Vital JM, Skalli W. Reliability of 3D reconstruction of the spine of mild scoliotic patients. Spine 2007 ; 32(5):568 - 573.

Rousseau, M.A. and M.S. Laporte. "Reproducibility of measuring the shape and three-dimensional position of cervical vertebrae in upright position using the EOS stereoradiography system." Spine 32.23 (2007): 2569-2572.

J.Y Lazennec, M.A. Rousseau, E. Sari-Ali, E. Rolland, Y. Catonne. Biomécanique du complexe lombo-pelvi-fémoral. Conséquences fonctionnelles des relations hanche rachis. Société d’Imagerie Musculo Squelettique, Getroa Gel Opus XXXIV Bassin et Hanche. Sauramps Medical / ISBN : 9782840235125 . 2007 17-33

C. Vallée, C. Marty, R. Carlier. Etude critique des mesures de l’équilibre pelvien. Société d’Imagerie Musculo Squelettique Getroa Gel Opus XXXIV Bassin et Hanche. Sauramps Medical / ISBN : 9782840235125 . 2007 35-50

Südhoff I, Van Driessche S, Laporte S, de Guise JA, Skalli W. (2007) « Comparing Three Attachment Systems Used to Determine Knee Kinematics During Gait.» Gait & Posture, 25 (4): 533-543



EOS imaging SA

10, rue Mercoeur
75011 Paris France
+33 (0)1 55 25 60 60

EOS imaging, Inc.

185, Alewife Brook Parkway #205
Cambridge, MA 02138 USA
+1 (678) 564 5400

Corporate Information

Capital social : 202.289,74 €
N° TVA : FR09 349 694 893